



# FLOW - METERING DEVICE

# **MEDIMETER**



# **EDITION 1/2013**

Medimeter is a flowmeter intended for control and measurement air or oxygen flow which is administered to patients.

# **ADVANTAGES**

- Flat surface float allows easy and safe reading of flow values by the users
- Ergonomic desing, easy for cleaning
- Available with probe connector, rail mounting with a hose and twin versions
- Soft closing mechanism
- Resistant float against impact
- New scale better reading of flow values



# **MEDIMETER**

# TECHNICAL DATA

TECHNICAL DATA	
Gas pressure:	O <sub>2</sub> ; Air
Inlet pressure:	4,5 bar
Flow ranges:	0 - 5 lpm
	0 - 15 lpm
	0 - 30 lpm
Inlet connection:	According to national standard
Outlet connection:	9/16" UNF; M12×1,25; G3/8; G 1/4 (with hose nipple)
Body material:	Nickel-plated brass
O-rings:	EPDM
Control knob:	Polyamide
Body dimensions:	
Width:	32 mm
Height:	160 mm
Depth:	60 mm
Weight:	280 g (without connector)
Temperature range:	
Storage:	- 30 °C to + 60 °C
Operation:	- 20 °C to + 60 °C
Regulatory status:	Complies with medical devices directive 93/42/EEC.
	Complies with EN 15 002 (Flow - metering devices for
	connection to terminal units).







Duo version with rail

Duo version with probe







Dorpsstraat 8a 4181 BN Waardenburg